

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(crossover OR mutation OR selection) AND "sparsity coefficient" AND outlier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/30 14:15
L2	0	(crossover OR mutation OR selection) AND "sparsity coefficient" AND outlier .clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/30 14:15
L3	0	(mutation) AND "sparsity coefficient" AND outlier .clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/30 14:17

Google

+(crossover OR mutation OR selection) +"sparsity coefficient" +outlier

Search

Web Results 1 - 10 of about 31 for +(crossover OR mutation OR selection) +"sparsity coefficient" +outlier. (

Example-Based Robust Outlier Detection in High Dimensional Datasetsexamples' **sparsity coefficient**, if no one is a "true" **outlier** in. the associated subspace. ... of **selection**, **crossover** and **mutation**, until the population ...

ieeexplore.ieee.org/iel5/10470/33217/01565793.pdf?tp=&isnumber=&arnumber=1565793 -

[Similar pages](#)**WCICA 2006 Paper**used for **outlier** mining, the results show the effectiveness of the algorithm. Keywords—Multivariate time series, local **sparsity coefficient**, ...ieeexplore.ieee.org/iel5/11210/36092/01714222.pdf - [Similar pages](#)[More results from ieeexplore.ieee.org »](#)**[PPT] Outlier Detection for High Dimensional Data**File Format: Microsoft Powerpoint - [View as HTML](#)Feb 26, 2006 ... starts with a population of p random solutions and iteratively used the processes of **selection**, **crossover** and **mutation** in order to perform a ...

www.cs.ust.hk/~leichen/courses/comp630j/presentations/chilly/outlierhighdim.ppt -

[Similar pages](#)**An effective and efficient algorithm for high-dimensional outlier ...**of **selection**, **crossover**, and **mutation** to perform a combination so that it results in a high enough **sparsity coefficient**. If the ...portal.acm.org/ft_gateway.cfm?id=1057495&type=pdf - [Similar pages](#)**Example-Based Outlier Detection for High Dimensional Datasets**tion undergoes repeated processes of **selection**, **crossover** and **mutation**. During the evolve- average **sparsity coefficient**, until a solution ...joi.jlc.jst.go.jp/JST.JSTAGE/ipsjdc/1.234?from=Google - [Similar pages](#)**An effective and efficient algorithm for high-dimensional outlier ...**the **sparsity coefficient** $S(D)$ of the cube D as follows: $S(D) = n(D) - N \cdot f$ of **selection**, **crossover**, and **mutation** to perform a combination ...www.springerlink.com/index/U1K1UFAD34N3XXVT.pdf - [Similar pages](#)**[PPT] Outlier Detection for High Dimensional Data**File Format: Microsoft Powerpoint - [View as HTML](#)1.3.1 **Sparsity Coefficient** $S(D)$. **Outlier Detection for High Dimensional Data**, ... $S =$ **Selection**(S); $S =$ **CrossOver**(S); $S =$ **Mutation**(S , p_1 , p_2); ...www2.in.tu-clausthal.de/~hammer/lectures/somsem/talks/Aggarwal.ppt - [Similar pages](#)**[PDF] Slide 1**File Format: PDF/Adobe Acrobat - [View as HTML](#)a) **Selection**: Selects solutions with most. sparse data. Solutions with more negative.**sparsity coefficient** are ranked higher. b) **Crossover**: is done to find ...cssrd.org/img/posters/PDF/Poster%20-%20Monica%20Deshmukh.pdf - [Similar pages](#)**[PDF] Outlier Detection in Clustering**File Format: PDF/Adobe Acrobat - [View as HTML](#)So, we define projection as **outlier** if **sparsity coefficient** is ... iteratively uses the process of selections, **crossover** and **mutation** in order to perform a ...ftp://cs.joensuu.fi/pub/Theses/2005_MSc_Charednichenko_Svetlana.pdf - [Similar pages](#)**[PDF] Summarization Techniques for Visualization of Large ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)[http://www.google.com/search?q=%2B\(crossover+OR+mutation+OR+selection\)+%2B%2...](http://www.google.com/search?q=%2B(crossover+OR+mutation+OR+selection)+%2B%2...) 3/30/2008

Section 3 is devoted to **outlier** detection algorithms. In Section These three steps of **selection**, **crossover**, and **mutation** are repeated until the ...

www.csc.ncsu.edu/faculty/healey/download/cstr.05b.pdf - [Similar pages](#)

1 2 3 **Next**

+(crossover OR mutation OR selection) +"sparsity coefficient" +outlier

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

+(crossover OR mutation OR selection) +"sparsity coefficient" +outlier

Search

Web Results 11 - 20 of about 31 for +(crossover OR mutation OR selection) +"sparsity coefficient" +outlier.

Redefining Clustering for High-Dimensional Applications

When the **outlier** handling option is implemented, the value of the seed The cluster **sparsity coefficient** when measured in full-dimensional space for ...
doi.ieeecomputersociety.org/10.1109/69.991713 - [Similar pages](#)

[PDF] Redefining clustering for high-dimensional applications ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

feature **selection** in order to reduce the dimensionality of the cluster **sparsity coefficient**. If this value is almost one, ...
cchen1.csie.ntust.edu.tw/students/2009/Redefining%20clustering%20for%20high-dimensional%20applications.pdf - [Similar pages](#)

[PDF] Outlier Detection in High Dimensional, Spatial and Sequential data ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Of all the data mining techniques, **outlier** detection seems closest to the definition of " ... An efficient sampling based **outlier** detection method for large ...
www.ug.it.usyd.edu.au/~psun2712/thesis.pdf - [Similar pages](#)

[PDF] Evaluating Subspace Clustering Algorithms

File Format: PDF/Adobe Acrobat - [View as HTML](#)

as with feature **selection**, subspace clustering requires a search method and an evaluation sure called the cluster **sparsity coefficient**, is provided ...
www.public.asu.edu/~huanliu/papers/siam-wk04.pdf - [Similar pages](#)

[PS] Data Mining Methods for Discovering Interesting Exceptions from an ...

File Format: Adobe PostScript

cluster because it can be an **outlier** i.e. an example that is propose an evaluation index that they call the **sparsity coefficient** $S(D)$ as follows: ...
www.jucs.org/jucs_12_6/data_mining_methods_for/jucs_12_06_0627_0653_suzuki.ps.gz - [Similar pages](#)

Subspace Clustering for High Dimensional Data: A Review

be an **outlier**. Usually these approaches also allow an in- stance to be an **outlier**, sure called the cluster **sparsity coefficient**, is provided which ...
portal.acm.org/ft_gateway.cfm?id=1007731&type=pdf - [Similar pages](#)

[PDF] Abstract KOCHERLAKOTA, SARAT MOHAN. Interactive Visual ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Then, the **sparsity coefficient** of each of these combinations or solutions is Sparse element **selection**:. The basic premise of our modified **outlier** ...
www.lib.ncsu.edu/pubweb/www/ETD-db/web_root/collection/available/etd-12132006-002606/unrestricted/etd.pdf - [Similar pages](#)

[PDF] Subspace Clustering for High Dimensional Data: A Review

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Subspace clustering is an extension of feature **selection** that sure called the cluster **sparsity coefficient**, is provided which ...
www.sigkdd.org/explorations/issues/6-1-2004-06/parsons.pdf - [Similar pages](#)

Laurel Xiao- [Translate this page]

Sparsity coefficient $S(D)$ of cube D . $S(D) = [n(D) - \text{expected fraction} \dots]$ The Evolutionary **Outlier Detection Algorithm**. **selection**; **crossover**; **mutation** ...
school.hk/system/tool/redirect.php?charset=big5&netroom_id=163&tool_id=2090&selected_netroom_... - 89k - [Cached](#) - [Similar pages](#)

[PDF] [Building Trustworthy Recommender Systems A Thesis Submitted to the ...](#)

File Format: PDF/Adobe Acrobat

5.2.4 Detecting Shilling Attacks—An **Outlier** Detection Approach . 138 5.4 The Local

Outlier Factor approach considers the local density. . . . 141 ...

www.ists.dartmouth.edu/library/328.pdf - [Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

+(crossover OR mutation OR selection) +"sparsity coefficient" +outlier

Search

Web Results 21 - 22 of 22 for +(crossover OR mutation OR selection) +"sparsity coefficient" +outlier. (0.07)

[PDF] [MODEL-BASED LINEAR MANIFOLD CLUSTERING](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

11.1 A summary of the line detector **selection** experiment. The table shows 11.7 The forward **selection** subroutine used to gradually extend the subspace ...
acc6.its.brooklyn.cuny.edu/~rbharpaz/thesis.pdf - [Similar pages](#)

[PDF] [INPE-00000-TDI/0000 UMA METODOLOGIA PARA DETECÇÃO DE ATAQUES NO ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

INPE-00000-TDI/0000. UMA METODOLOGIA PARA DETECÇÃO DE ATAQUES NO TRÁFEGO DE. REDES BASEADA EM REDES NEURAI. Lília de Sá Silva ...
mtc-m17.sid.inpe.br/rep-/sid.inpe.br/mtc-m17@80/2007/07.31.12.49 - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 22 already displayed.

If you like, you can repeat the search with the omitted results included.

Previous [1](#) [2](#) [3](#)

+(crossover OR mutation OR selection) +"sparsity coefficient" +outlier

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Help](#)[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Order Copy](#)[PTDLs](#)

Searching US Patents Collection...

Results of Search in US Patents Collection db for:

(((crossover OR mutation) OR selection) AND "sparsity coefficient") AND outlier): 0 patents.

No patents have matched your query

[Refine Search](#)[\(crossover OR mutation OR selection\) AND "sparsity](#)

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((crossover or mutation or selection) and 'sparsity coefficient' and outlier)<in>metadata)"

Your search matched 0 of 1761903 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

[Search >](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[IEEE/ET](#)[Books](#)[Educational Courses](#)[IEEE/ET journals, transactions, letters, magazines, conference proceedings, and standards.](#)[view selected items](#)[Select All](#) [Deselect All](#)

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by
 Inspec[Help](#) [Contac](#)

Copy



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide



(crossover OR mutation OR selection) AND "sparsity coefficient"
AND outlier

Terms used: [crossover](#) [mutation](#) [selection](#) [sparsity](#)
[coefficient](#) [outlier](#)

Found 1 of 241,122

Sort results
by

[Save results to a Binder](#)

Refine these results with [Advanced Search](#)

Display
results

☐ [Open results in a new window](#)

Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

1 An effective and efficient algorithm for high-dimensional outlier detection

C. Aggarwal, S. Yu

April 2005 **The VLDB Journal — The International Journal on Very Large**

Data Bases, Volume 14 Issue 2

Publisher: Springer-Verlag New York, Inc.

Full text available: [pdf\(162.48 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#),
[cited by](#)

The outlier detection problem has important applications in the field of fraud detection, network robustness analysis, and intrusion detection. Most such applications are most important for high-dimensional domains in which the data can contain hundreds ...

Keywords: Data mining, High-dimensional spaces, Outlier detection

Ads by Google

Online Journals

Full-text journals for
academic research at
Questia Online Library.
www.Questia.com/Journals

\$1,000,000,000 in a Day?

How You Too Can Invest
in the Same Market the
Mega-Rich Make
Billions!
MoneyAndMarkets.com

Global Finance Conference

15th Annual Conference-
Register Now Hangzhou,
China - May 18-20, 2008
www.glofin.org





Science Job Openings

Search Science
Magazine's Career
Database. Post your
resume Free!
www.ScienceCareers.org

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)